Name Inshirah Husszin Assignment General Science Submitted To Sir Majid

Q. What is Malaxia? Describe its causes, symptoms, treatment and preventive measures.

Definition:

Malaria is a life-threatening disease spread
to humans by some types of mosquitoes. It
is mostly found in typical countries. It is
preventable and curable.

Malaria is common is malaria?

Malaria is common in tropical areas where
it's hot and humid. In 2020, there were
241 million reported cases of malaria throughout
the world, with \$27000 deaths due to malaria.
The majority of these cases occur in Africa
and South Asia.

3) Causes Of Malaria:
Malaria is caused by a single-celled parasite
of the genus plasmodium. The parasite

is transmitted to humans most commonly through mosquito bites. Mosquito Transmission Cycle
Malaria spreads when a mosquito becomes infected with the disease after biting an infected person, and the infected mosquito then bites a noninfected person. The malaria parasites enter the person's blood-stream and travel to the liver. When the parasites mature, they leave the liver and infect red blood cells. Infected Red blood cells Infected Liver cells One Red Blood Mosquito Transmission First Infected person First Infected mosquito Symptoms of Malaria:

Symptoms of malaria are similar to flu

symptoms. They include: fever sweating,

chills, headache, muscle aches, fatigue,

chisques breadiiving pointsough, diarrhea

preferably

, vomiting and nausea. As malaria get worse, it can cause anemia and joundice.
Cerebral Malaria:

The most severe form of malaria, which may progress to a coma. This type represents about 15% of deaths in children and nearly 20% of adult deaths.

5) Treatment of Malaria:

With early treatment, most people with maloria will make a full recovery. Treatment for individuals with the disease includes: medication to eliminate the parasite from the blood stream supportive care, hospitalization for those with severe symptoms and intensive care, in some cases.

. Anti Malarial Drugs

The main antimalorial drugs are chloroquine hydroxychloroquine, primagoine, atovaquoneprogranil etc.
The treatment period usually lasts 2 days.

Preventive Measures of Malaria: You should also take precautions to avoid mosquito bites. To lower your chances of 6)

getting malaria, you should: apply mosquito repellent with DEET (diethyltoluamide) to exposed skin, drope mosquito netting over beds and oft screens on windows and doors. Wear long pants and long · Vaccination:

On 2021, the first vaccine against malaria, called RTS, s (Mosquirix) received approval from the WHO. The second Varcine against malaria called R21 shown to be safe and effective in preventing malaria.

Good answer!?